



ners

# Contents

- **3D Scanning Technology**
- **3D Scanning Process**
- **Hardware Features**
- **Software Features**
- **User Examples**
- **ROI Example**
- **Conclusion**

# 3D Scanning technology

- 2D hardware and software have changed how documents are created and stored
- 3D hardware and software are *changing* how models are created, edited, and stored

2D



Scan

Design/Edit/Archive

Print

3D




# Scanning process

- **Scan model (hardware):**
  - Position in machine
  - Set up scan
  - Scan model
- **Basic scan data processing (software):**
  - Smooth model surface/delete spikes
  - Register/Merge scans into a single model
  - Close holes, refine model details
- **Advanced scan data editing (software):**
  - Decimate (reduce vertices/file size)
  - Modify faces
  - Sharpen edges
  - De-feature (remove unwanted items)
  - Define patches on faces

# Scan process task/time

70% Process/Edit time  
(Software)


30% Scan time  
(Hardware)



# Product features




LPX-1200



- **LPX-1200**
- **High productivity**
  - .004 scan resolution
  - Cleaner scan input, less processing time
  - Smooth / merge surfaces, decimate model
  - **Includes Pixform Pro** for advanced editing







LPX-250



- **LPX-250**
- **High value**
  - .008 scan resolution
  - **Includes Pixform** software to smooth/merge surfaces and decimate model

# Pixform Pro Software included with LPX-1200

- **Advanced editing tools include:**
  - Delete features from scan data
  - Sharpen edges of scanned model
  - Add thickness/create shell
  - Mirroring/copying to create symmetrical objects
  - Create curves and edges from surfaces
  - Manually edit auto-surfaced models
  - Manual sub-surface control




# Pixform Pro/ LPX-1200 features

Delete features from scanned model





Mirroring/Copy to create symmetrical objects









# Pixform Pro/ LPX-1200 features

Construct a surface from polygon scan data.  
Smooth faces, sharpen edges







# Pixform Pro/ LPX-1200 features

Create curves from surfaces for use in CAD software



# Pixform Pro/ LPX-1200 features

## Auto Surfacing & Manual Sub-Surface editing



# User examples

- **Blister packaging**
- **Scanned data imported into CAD software**
- **3D data archiving**
- **Create 3D data from scanned objects**

# User example: Blister Packaging


- Products are scanned with LPX-250
- Scan of product used to create mold for blister pack
- Reduces turn around time and quotation costs
- Scanned data is electronically archived to use again in future projects




# User example: Scan to CAD

- Requires clean, high resolution model data
- Advanced editing tools used to sharpen edges, define model faces and create curves from surfaces to use in CAD application
- Scanned/edited surfaces and 3D models import into CAD application using IGES format


**Example One:**  
Scanned surface imported into CAD software as an IGES file.




Using CAD software, surface edges copied to new sketch and extruded into a model feature



**Example two:**  
Scanned toy surfaces merged and edited in Pixform Pro



IGES file imported into CAD software. Solid model used to create mold cavity





# User example: Rapid prototype users and service bureaus

- 3D data required to produce 3D parts but 3D CAD models are not always available
- Why model an item when you can scan and print to 3D?
- Scan existing geometry, modify (scale, mirror, delete/add features) then create RP parts






# Scan process task/time

70% Process/Edit time  
(Software)


30% Scan time  
(Hardware)



# Scan process time vs. labor cost

Scan Model + Process Data = Total Time Labor Cost\*


LPX-1200



1.5 hr + 1.75 hrs = 3.35 hrs

**\$90**

LPX-250



1.5 hr + 3.5 hrs = 5.00 hrs

**\$160**

\*Assume .5 hr set up time plus software process time at \$40/hr burdened labor cost


# Processing time vs. productivity

Scan Model + Process Data = Total Time Scans/Day\*

LPX-1200




1.5 hr +



1.75 hrs

= 3.35 hrs




2.4

LPX-250




1.5 hr +



3.5 hrs

= 5.00 hrs



1.6

\*Assume 8 hour work day

# Return on investment


Model	Cost	Scan time/hrs	Labor cost/hr	Labor cost/scan
LPX-1200	\$21,995	2.35	\$40.00	\$94.00
LPX-250	\$9,995	4.00	\$40.00	\$160.00
	\$12,000			\$66.00 savings/scan

- **\$66.00 labor savings per scan project**
- **$\$12,000/66=181$  scan projects to break even**
- **2.4 scan projects per day= 75 days to recover extra cost of LPX-1200**


# Conclusion




LPX-1200



- **LPX-1200**
- **MSRP: \$21,995**
- **High productivity**
  - .004 scan resolution
  - Cleaner scan input, less processing time
  - Smooth / merge surfaces, decimate model
  - **Includes Pixform Pro** for advanced editing



LPX-250



- **LPX-250**
- **MSRP: \$9,995**
- **High value**
  - .008 scan resolution
  - Smooth / merge surfaces, decimate model