

VERSACAMM SP-300V 30" ECO-SOLVENT™ INKJET PRINTER/CUTTER
VERSACAMM SP-540V 54" ECO-SOLVENT™ INKJET PRINTER/CUTTER



Designed for both novice and advanced users, our best-selling, highly affordable VersaCAMM® printer/cutters are the most versatile tools ever for creating just about any sign imaginable.



It all begins with outstanding print quality

The proof is in the print. The VersaCAMM produces sharp, vibrant images by using variable droplet technology to precisely control droplet placement. It delivers a wide color gamut and can achieve print resolutions up to 1440 dpi.

New ECO-SOL MAX ink adds punch to your graphics

Revolutionary new ECO-SOL MAX ink boosts the performance of your SOLJET PRO II V inkjet with wider color gamut, improved scratch resistance, faster drying time, and lower cost per square foot. In addition, ECO-SOL MAX is virtually odorless, safe to use, and durable up to three years outdoors without lamination.

The integrated print/cut advantage

The VersaCAMM streamlines the production process by automatically contour cutting printed graphics. Eliminating the need to reload and reposition graphics significantly improves production speed and ease of use.

Accuracy ensured with Quadralign® optical registration

For laminated graphics, simply remove prints, laminate and reload them for precision cutting. The Quadralign four-point optical registration system automatically realigns the cutting path and compensates for skew and distortion.

Powerful Roland VersaWorks™ software comes standard

Built upon a genuine Adobe® PostScript® 3 engine, Roland VersaWorks is a powerful software RIP developed exclusively by Roland engineers to give you even greater control over both color and contour cutting.

Built-in, energy-efficient heating system

An integrated, adjustable heating system helps ECO-SOL MAX ink bond to both uncoated and coated media and dry faster. For ease of use, the energy-efficient heating system is controlled from the printer as well as the computer.

Eco-SOL Media...profiled for flawless performance

Eco-SOL Media includes a wide selection of competitively priced, uncoated adhesive-backed vinyls and other popular substrates. Additional materials offer expanded business opportunities to VersaCAMM users, including heat transfer, backlit film, matte artist canvas and high-quality matte paper.

Roland reliability...your assurance of long-term quality

The solid VersaCAMM is Backed with a full-one year warranty and our Passport Customer Care Program and offers years of rugged service and unmatched mechanical reliability, even in the most demanding shop environments.





VERSACAMM® ECO-SOLVENT™ INKJET PRINTER/CUTTERS

PRODUCT HIGHLIGHTS



**PRINT
& CUT**

VERSACAMM SP-300V
30" PRINTER/CUTTER



**PRINT
& CUT**

VERSACAMM SP-540V
54" PRINTER/CUTTER

- Integrated print/cut capabilities
- 54" Maximum media width (SP-540V)
30" Maximum media width (SP-300V)
- New Eco-SOL MAX ink
 - Tougher, with improved scratch resistance
 - Fast drying
 - More vivid, with wider color gamut for reds, blues and greens
 - Virtually odorless and user-friendly
 - Water- and UV-resistant up to 3 years outdoors without lamination
- Vivid 4-color CMYK printing
- Up to 1440 dpi resolution for photorealistic graphics
- Variable Droplet Technology for superb detail
- 114 sqft/hr print speed at 360 dpi (SP-540V)
63 sqft/hr print speed at 360 dpi (SP-300V)
- Ink running costs as low as 16 cents per sq. ft.
- Quadralign™ four-point optical registration system
- Advanced heating and media handling systems
- Roland VersaWorks™ software included
- Separate S models of both sizes are available for flawless sublimation graphics

SPECIFICATIONS

VERSACAMM SP-300V

VERSACAMM SP-540V

SPECIFICATIONS		VERSACAMM SP-300V	VERSACAMM SP-540V
Print resolution		360 x 720 dpi, 720 x 720 dpi, 1080 x 1080 dpi, 720 x 1440 dpi	
Printing/cutting width		5-3/16 to 29 in. (147 to 736 mm)	7-5/16 to 53 in. (186 to 1346 mm)
Acceptable media width		7-3/16 to 30 in. (182 to 762 mm)	8-5/16 to 54 in. (212 to 1372 mm)
Ink cartridges	Type Capacity Color	Roland ECO-SOL MAX ink 4 cartridges: 220 cc ± 5 cc Cyan, Magenta, Yellow, Black	
Printing/cutting speed		63 sq. ft./hr at 360 x 720 dpi / 11.8 ips	114 sq. ft./hr at 360 x 720 dpi / 11.8 ips
Cutting force/offset		30 to 300 gf / 0 to 1.5 mm	
Interface		USB Interface	Ethernet (10 BASE-T / 100 BASE-TX, automatic switching)
Power-saving function		Automatic sleep feature (compliant with the International ENERGY STAR® Office Equipment Program)	
Power supply		Maximum: 6.0 A (AC 100 to 120 V ±10% 50/60 Hz) 3.0 A (AC 220 to 240 V ±10% 50/60 Hz)	Maximum: 8.8 A (AC 100 to 120 V ±10% 50/60 Hz) 4.7 A (AC 220 to 240 V ±10% 50/60 Hz)
Dimensions (with stand)		67-3/4 [W] x 30-3/8 [D] x 50-1/4 [H] in. (1720 [W] x 770 [D] x 1275 [H] mm)	94.9 [W] x 31.5 [D] x 50.9 [H] in. (2410 [W] x 800 [D] x 1293 [H] mm)
Weight (with stand)		273 lb (161 kg)	328 lb (149 kg)
Environment	Power on Power off	Temperature: 59-90°F (15-32°C) (68°F+ recommended) Humidity: 35-80% (no condensation) Temperature: 41-104°F (5-40°C) Humidity: 20-80% (no condensation)	

* Outdoor durability is based on accelerated weather tests. Results may vary depending upon location and application. Dry times vary depending upon specific media characteristics. Lamination may be required for some applications or environmental conditions.

Built with precision. Backed with passion.™

Roland®

FOR COMPLETE PRODUCT SPECIFICATIONS AND FEATURES, OR TO REQUEST A SAMPLE PRINT, CALL 800-542-2307 OR VISIT WWW.ROLANDDGA.COM
ROLAND DGA CORPORATION | 15363 BARRANCA PARKWAY | IRVINE, CALIFORNIA 92618-2216 | 800.542.2307 | 949.727.2100 | CERTIFIED ISO 9001:2000

RDGA-SP-05 December 2005